

Comfort-Cire®

COMBHD22A

Portable Dehumidifier 115v 22 pint Dehumidifier

\$203.35 EA

COMBHD35A

Portable Dehumidifier 115v 35 pint Dehumidifier

\$257.95 EA

COMBHD50A

Portable Dehumidifier 115v 50 pint Dehumidifier

\$300.00 EA

Smartphone Compatibility

Pump flow rate = 0.02-0.03 Pump gpm lift-head = 16.4 ft. (5m) Pump drain hose = 16.4 ft. (5m)

FEATURES

- Automatic Water Level Shut-Off When the drain bucket is full, the unit automatically shuts off, then displays a "Full" light
- Drain Options Condensed water can be collected in the removable bucket, or continously drained through the direct drain with included adapter kit.
 Units with built-in self-priming pumps can remove condensate through the pump drain with hose provided
- Easy to Use Controls All controls are located on the top of the unit; actual room humidity/relative humidity set point is displayed
- Auto Restart All models automatically resume operation after a power outage, ideal for second homes or offices, as well as primary residences
- Slide-Out Filter Filter is easily removed from unit so it can be cleaned and reused; check filter light is a reminder to clean the filter







- · Electronic Controls with Remote
- Smartphone-Compatible model available
- Window Mounting Kit
- · 3 Speed Fan
- · One degree temperature adjustment
- 24-hour on/off timer and auto restart, energy saver function auto, dehumidification, and sleep modes
- · Easy to access, slide-out filter is washable
- · Adjustable air direction
- Compact, lightweight cabinet with attractive decorator front grille

Panasonic

MULTI-SPEED BATH FAN/LIGHT

WhisperGreen®
Select Fan/Light





PRODUCT #	PRICE
PANFV0511VKSL	\$250.00
PANFV0511VKS	\$160.00



- Customizable, all-in-one whole house precision ventilation solution ideal for use in the bathroom, laundry room, sun room, basement or garage
- Pick-A-Flow Airflow Selector; features a built-in speed selector (50-80-110 CFM model) combined with SmartFlow™ technology simplifies the selection process and ensures optimum performance to meet code and reduce callbacks
- New! Elegant grille with integrated 10W dimmable LED chip panel with <1W LED night light; JA-8 compliant for CA Tittle 24
- New! Environmentally friendly 26 gauge Zinc-Aluminum-Magnesium (ZAM) housing design
- New! Improved Flex-Z Fast™; singlehinge bracket with added flexibility, fast and easy installation

VENT TERMINATION SYSTEM

EZSoffit Vent™ Soffit

Termination System

HVI-Certified EZ Soffit Vent™ helps optimize airflow by letting you complete all ducting before soffit panel install.

PANEZSV14

SALE \$25.00

KEY FEATURES

- Patent pending soffit termination system ideal for new residential construction
- First-to-market, HVI-Certified soffit vent helps optimize airflow by letting you complete all ducting before soffit panel install
- High performance soffit vent improves overall fan performance and reduces call backs due to poor airflow
- Simple, one-stop installation helps reduce total installed costs (callbacks, labor and parts)
- Unique design eliminates water intrusion costs associated with roof and/or wall terminations

ENERGY STAF





O DELTA.

CASSIDYTM COLLECTION

TWO HANDLE

Kitchen Faucet



SPECIAL FEATURES

ADA Compliant

No-Lead Compliant

*With Side Sprayer

Water-Efficient

	PRODUCT #	PRICE
CHROME	DEL2497LF	\$249.00
STAINLESS	DEL2497LFAR	\$225.00

TWO HANDLE

Widespread Bathroom Faucet





SPECIAL FEATURES

ADA Compliant

No-Lead Compliant

*With Side Sprayer

Water-Efficient

	PRODUCT #	PRICE
CHROME	DEL3597LFMPU	\$315.00
STAINLESS	DEL3597LFSSM	\$415.00



Royal Series 8" Center Wall Mount Pre-Rinse with Add-On Faucet 12" Spout

KRO17109WL Sale \$367

Royal Series 8" Center Wall Mount Pre-Rinse

KRO17108WL Sale \$313

*1/4 Turn Ceramic Cartridge Valves

High performance 1/4 turn ceramic cartidge valves that are designed to last longer than traditional rubber compression valves.

*Stainless Steel Hose

High performance radial wrap tubing pressure tested to 400 PSI.

*Wall Bracket

O3 Secures pre-rise to wall and is included with all models.

Can be cut designed length.

*Stainless Steel Riser

Heavy duty design built to handle high volume application unlike industry standard brass risers.

*Knife Style Spray Valve

High performance valve cleans dishes more efficiently than the traditional shower style pattern sold by most competitors. 1.2 GPM with heat resistant bumper.

*E-Z Install Swivel Fitting

Of Allows for quick installation of pre-rinse without requiring plumber to fully rotate hose while assembling.







CHECK OUT SIOUX CHIEFS NEW CATALOG

DID YOU KNOW? IRR STOCKS

SERIES 832 FLOOR DRAINS.
SERIES 834 CLEAN-OUTS.

6-1/2" Tops
FinishLine™
On-Grade Floor Drains

3" OR 4"
ROUGH-IN DRAIN FIXTURE
SOC83236PF

4" ROUND
NICKEL FLOOR DRAIN COVER

SOC8324HNR



- Heel proof strainer
- Patented system is adjustable AFTER the pour
- ABS/PVC base adapter, ABS coring sleeve, ABS head adapter, and poly coring plug
- Nickel bronze strainer for use in pedestrian traffic areas up to 1000 lbs.

FinishLine™Adjustable Cleanouts

3" ROUGH-IN CLEANOUT W/PLUG SOC8343PF



FEATURES

- Patented system is adjustable AFTER the pour
- ABS/PVC base adapter, ABS coring sleeve, ABS head adapter, and poly coring plug
- 4000 lb. Load Rating (medium-duty)

FinishLine™

Adjustable Cleanouts

4" ROUND NICKEL CLEANOUT COVER SOC8344HNR

FEATURES

- Patented system is adjustable AFTER the pour
- ABS/PVC base adapter, ABS coring sleeve, ABS head adapter, and poly coring plug
- Nickel bronze strainer for use in pedestrian traffic areas





EasySeal Ultimate

FEATURES

- · Treats larger systems
- · New brighter UV Dve
- · Easiest to install direct inject
- Works with all refrigerants
- · Permanently seals even larger leaks
- · Rapid Fusion Technology for a stronger bond



Description	Part #	SPECIAL PRICING
Treats up to 5 tons	4050-08	\$72.18
Treats up to 1.5-5 tons	4050-11	\$73.65
Treats up to I.5 tons	4050-05	\$56.34


iWAVE-R Air Ionization System CAL490020 \$427.36

FEATURES

- OEM Approved
- Universal mounting with magnets
- · For duct systems up to 6 tons (2400 CFM)
- · Easily installs in minutes in A/C system
- Multi-Voltage input 24VAC to 240VAC
- Patented self-cleaning design ensures ongoing peak performance
- Needlepoint ionization actively treats air in the living space

Remote mounted LED will illuminate when the iWave-R is powered and there are no faults. All remote mount wiring, LED, wire nuts and voltage source are provided, mounted and wired by others.

ALARM RELAY WIRING EXAMPLE:



Rx11-Flush Starter Kit

FAQS

- Ideal for system clean-up after burnouts
- Cleaning is fast, efficient and verifiable
- Flush line sets for R-410A conversions
- The industry standard for flushing refrigeration and air conditioning systems



GREATEST VALUE, STRONGEST FLUSH!

Packaging Size	Part #	SPECIAL PRICING
Starter Kit	4300-08	\$185.70
1 lb. canister	4300-09	\$76.98
2 lb. canister	4300-11	\$147.94
2+1 Display Pack	4300-10	\$354.62

NU-Brite Coil Cleaner CAL429108

When choosing a coil cleaner, reach for the BLUE!

Packaging Size	Part #
1 gallon bottle	4291-08
\$20.32	
Aerosol	4291-18
\$11.96	



FAQS

- The safer alternative to acids
- High foaming chemistry to lift dirt out of coil
- Brightens the condenser coils extremely well
- · Available in traditional and concentrate formulas
- Concentrate packages take up less space and are easier to carry or ship



JULY EDITION — SPECIAL PRICING — 1-22ND 2023

Evap Foam No Rinse CAL417175 \$13.59

FAQS

- · Pleasant lemon scent
- Cleans and deodorizes
- Self-rinsing, fast-breaking foam
- Ideal for kitchen applications
- Biodegradable and NSF Registered*
- Easily sprayed from any angle... right side up or upside down



Corrosion, where?

The product's fast-breaking foam is completely self-rinsing. Simply spray Evap Foam on the coil and the foam will wash the emulsified matter off.



Evap Foam

Foam-Brite CAL417808

FEATURES

- Provides more foam than any condenser coil cleaner in the market
- Ultimate cleaning and brightening while it foams
- Use it in place of the more dangerous HF acid-based products

Packaging Size	Part #
1 gallon bottle	4178-08
\$29.59	

MAXIMUM FOAMING COIL CLEANER & BRIGHTENER!






Foam Tite CAL421912

\$18.91

FEATURES

- Closed cell construction foam tape
- Stops sweating and condensation on refrigeration or other cold lines
- · Insulates against heat loss
- · Self adhesive and easy to apply
- Use on all sizes of tubing, pipes, tees, valves and fittings





Packaging Size Part #
2 inch x 1/8 inch x 30 foot Roll 4219-12

Service temperatures can be as *low as -15°F* with a *high continuous temperature of 160°F*.



Blackhawk CAL412775

\$11.21

FEATURES

- Safe for Cleaning HVAC/R Coils in Food Processing Areas
- Does Not Produce Objectionable Fumes
- Metal/Plastic Safe
- Non-Rinse for Evaporators
- Nonflammable
- Biodegradable

Packaging Size

Part #

18 ounce can

4127-75



AN EXPANDING FOAM,
NON-FRAGRANCE COIL
CLEANER FOR CLEANING
HVAC/R EQUIPMENT IN FOOD
PROCESSING AREAS





NEW Unit!

DLCURA QuietComfort® 18 Compact Heat Pump

Find the budget-friendly comfort you want in a compact size to fit a narrow lot with our efficient heat pump that gets an up to 18 SEER2 cooling rating. Its small design allows for close installation to your home and is compatible with the Heil Ductless Crossover Solutions.

KEY FEATURES

Extra Low Temperature Heating
Heat output up to 75% of rated capacity
down to -22° F (-30° C), so when it's cold
outside, it will be warm inside making this
a primary heat source, and reducing the
need for a backup heat source.

Stepless Frequency Adjustment
Precise control maintains stable and
constant room temperature while reducing
sound level and energy consumption.

Find the right system for your home.







SWATTS® BACKFLOW



PREVENTERS

2 IN LEAD FREE SILICON BRONZE

Reduced Pressure Zone Backflow Preventer Assembly, Quarter Turn Shutoff Valves

WATLF909QT112 1-1/2" WATLF909QT2 2"

FEATURES

- Single access cover
- Unique patented air-in and water-out design provides high capacity relief valve discharge performance during emergency conditions



- Lead free bronze body
- Horizontal or vertical (up or down) installation
- Compact for easy installation

REDUCED PRESSURE VALVE ASSEMBLY

Backflow preventers with 1/4" turn valve.

WATLF009QT112 1-1/2" WATLF009QT2 2"



FEATURES

- We carry 3/4", 1", 1-1/4", 1-1/2" and 2"
- SentryPlus Alert* technology to detect excessive water discharges from the relief valve. Activated through an add-on connection kit, the sensor can trigger the alert system sending notification of flood detection to facility personnel.
- Screwdriver slotted ball valve test cocks
- Captured springs for safer maintenance
- Large body passages for low pressure drop







INTRODUCING THE DELUXE WALL-MOUNTED MSZ-FS INDOOR UNIT





Unit!



BETTER AIR QUALITY

Collects 1/10th of the dirt compared to non-coated components after 10 years of no cleaning maintenance.

IMPROVED EFFICIENCY

Dual Barrier Coating on the heat exchanger, air ducts, vanes and blower wheel helps keep key internal heat pump components clean and working efficiently.

Featuring **Dual Barrier Coating** and compatible with **H2i Plus™** technology.

Mitsubishi Electric Dual Barrier Coating prevents dust and dirt from accumulating on the indoor unit - keeping it cleaner vear-round.



CUSTOMER LOYALTY POINTS

GERBER	100 pts. per \$300 purchase
GRAY METAL	50 pts. per \$100 purchase
WATTS	50 pts. per \$50 purchase
DELTA	150 pts. per \$300purchase
MATCO NORCA	100 pts. per \$50 purchase

JOIN OUR **LOYALTY PROGRAM!**

IMPORTANT NEWS FROM JULY 1ST THRU SEPT 2ND

ALL IRR SUPPLY LOCATIONS WILL BE CLOSED ON SATURDAYS!

Emergency Openings Will Still Be Available
For more info contact store manager with any questions



JULY 26TH

10AM - 4PM

2315 **POWELL AVE. ERIE, PA** 16506

CONNECT WITH VENDORS





FOR UPCOMING EVENTS!

